

SHOPRIDER®




K0822

6RUNNER® 10 REHAB [888WNLM-R]

The 6Runner® series powerchairs, all with 6 points of contact with the ground, provide the desired stability of traditional rear driven powerchairs, along with the maneuverability of modern mid wheel driven powerchairs. The 6Runner® 10 Rehab is full of features.

Toll-Free: 800.743.0772
www.shoprider.com



Seat Cushion Option

MID WHEEL DRIVE

- Adjustable length, height and angle foot plate
- Midwheel drive maneuverability
- 10" wheel
- 300 lb. capacity
- stable 4 post seating system
- Height, length and angle adjustment arm rests
- Swing away controller arm bracket
- Fully adjustable Rehab seat

6RUNNER® 10 REHAB



Blue

| | | |
|--|--------------|----------------------|
| Overall Dimensions (L x W x H) | in | 42 x 23 x 35.5 |
| Number, Size of Tires (front; rear) | Front (rear) | 2, 7"; 2, 10"; 2, 7" |
| Suggested User Weight (on a level road) | lb | 300 |
| Total Weight (w/36 Ah batteries, seat) | lb | 185 |
| Each Battery Module Weight | lb | 5.8 |
| Battery Module Capacity | _V_Ah x Pcs | 12V35Ah x 2 |
| Charger | | Off Board (4A) |
| Output Power of Motor | hp | 0.6 x2 |
| Maximum Speed ² | mph | 5 |
| Max. Climbing Angle/Safe Climbing Angle(based on user weight of 90kg/200lb.) | % (°) | 10 (6) |
| Range (per charge) (After the battery and mechanical moving parts fully break in) | mile | 16.2 |
| Turning Radius | in | 15.75 |

All specifications are subject to change without prior notice. Shoprider Mobility Products, Inc. reserves the rights of any changes to the unit.

1) Include the anti-tip wheel or the rear castor.

2) Driver weight may exceed weight of the unit; speed must be reduced when turning.

3) The actual driving range varies with the factors shown as below:

a) The weight of occupant

d) Type of charger

g) If the battery and mechanical moving parts fully break in

b) Ground surface

e) Ambient temperature

c) Battery capacity and conditions

f) The way of driving

h) Etc.