

SHOPRIDER



K0800

DASHER[®] 4 [GK-8]

The Dasher[®] scooter from Shoprider sets another gold standard in portable mobility. Packed with industry first features, the Dasher[™] is the first scooter with Splash-n-Dash[™] quick color change moldings. It's the first completely connectorless portable scooter, with its heaviest component an industry leading 26 lbs! Talk about ULTRA value...Dashers[®] have solid tires, a comfortable swivel seat with arms, and a basket included in the price without the need for an upgrade! The brand you know. The quality you trust. ULTRA portable. ULTRA lightweight. ULTRA value.




Toll-Free: 800.743.0772
www.shoprider.com



DASHER® 4



Adjustable Tiller



Connector-less Technology



Convenient Built-in Charger Compartment

COMPACT SCOOTER

- Splash 'n Dash™ quick color change system
- Red, blue and champagne color panels included
- Heaviest part weighs only 33 pounds
- Convenient swiveling seat feature while seated
- The easiest disassembly and re-assembly in the industry virtually eliminating the need and expense for special lifts or ramps
- Seat height & tiller adjustable
- Front Basket Included

DASHER® 4



Red



Blue



Champagne

*Custom color panels available

Overall Dimensions (L x W x H)	in	39.5 x 22 x 35
Number, Size of Tires	Front	2, 7"
	Rear	2, 8"
Suggested User Weight (on the Level Road)	lb	Max. 250
Weight of Heaviest Part (Front Chassis Assembly)	lb	33
Total Weight (w/ 12Ah Battery Pack, Basket, Seat)	lb	94
Battery Pack Module Weight	lb	22
Battery Module Capacity	_V_Ah x Pcs	12V12Ah x 2
Charger		Off-Board (2A)
Output Power of Motor	hp	.5
Maximum Speed ²	mph	3.8
Safe Climbing Angle (based on user weight of 100kg/220lb) / Max. Climbing Angle (based on user weight of 75kg/165lb)	% (°)	10 (6) / 21 (12)
Range ³ (per charge w/ STD 12AH battery / 90kg User Weight) (After the battery and mechanical moving parts fully break in)	mile	7.5
Turning Radius	in	37
Ground Clearance	in	1.5
Handle Bar	Type	T-bar

All specifications are subject to change without prior notice. Shoprider Mobility Products, Inc. reserves the rights of any changes to the unit.

1) Include the anti-tip wheel or the rear castor.

2) Driver weight may exceed weight of the unit; speed must be reduced when turning.

3) The actual driving range varies with the factors shown as below:

a) The weight of occupant

b) Ground surface

c) Battery capacity and conditions

d) Type of charger

e) Ambient temperature

f) The way of driving

g) If the battery and mechanical moving parts fully break in

h) Etc.