





## 危险品

# 仅限货机运输

### 航空运输条件鉴别报告书

#### Identification and Classification Report for Air Transport of Goods

此报告本年度有效 有效期至2014年12月31日

报告编号:

PEKSZ20140613010ZH0001

Issued No.:

签发日期:

2014.06.16

Issued Date:

委托单位:

飓风科技集团有限公司

Applicant:

TORNADO SCIENCE GROUPS LIMITED

物品名称:

锂离子电池组 TDP-12V12A

Name of Goods:

LITHIUM ION BATTERY PACK TDP-12V12A

北京迪捷姆空运技术开发有限公司

Beijing DGM Air Transport Technology Co.Ltd

第1页共4页



与效 131日

次京林子口

### 报告书使用约定

#### Terms of the Using of the Report

1. 本公司依据本年度国际航协《危险品规则》以及委托人(托运人或其代理人)提供的物品及其运输信息,确定货物的航空运输条件并出具此报告书。

The report is issued by DGM China according to IATA *Dangerous Goods Regulations* published in the current year and the information of the goods and the information of its shipping provided by the applicant (shipper or his agent).

2. 依据鉴别的需要,本公司要求委托人提供真实、完整的货物样品及资料。

According to the demand of identification and classification, DGM China requires the applicant to provide true and exact sample and data of the cargo.

3. 委托人保证申报的物品和/或提供的样品与交运的货物是同一种物质。

The applicant guarantees that the declared goods and/or the sample who provides should be identical with the contents of cargo that is to be transported.

4. 本公司仅对样品的鉴别结果负责。

DGM China is only responsible for the identification and classification of the sample provided by the applicant.

5. 本报告书经主检员、审核人和批准人签字并加盖本公司印章后生效。

This report will be effective only after it is signed by the inspector, checker and approver, and stamped by DGM China.

6. 未经本公司书面批准,不得复制本报告书。

The duplicating of this report is prohibited without the written approval of DGM China.

7. 私自转让、复制、盗用、冒用、涂改、或以任何媒体形式篡改的报告书无效。

The report is invalid when anything of the following happens - illegal transfer, reproduce, embezzlement, imposture, modification or tampering in any media form.

8. 为适应国际航协《危险品规则》的年度变化,报告书仅在本年度内有效。

This report is only valid within the year in which the IATA Dangerous Goods Regulations is effective.

地址:北京首都国际机场货运北路天竺综合保税区BGS货运楼249室

邮编: 101300

电话: 010-69479673

传真: 010-69479621

网 址: www.dgmchina.com.cn

E-mail: test@dgmchina.com.cn

第2页共4页





项目编号

Item No. 鉴别目的

Identification Purpose

鉴别依据

Identification Criteria

物品名称 Name of

中文

Chinese

	Goods	英文 English	LITHIUM ION BATTERY PACK TDP-12V12A	
	生产厂家		飓风科技集团有限公司	
	Manufacturer		TORNADO SCIENCE GROUPS LIMITED	
	件	-数		
	Pieces			注:本
年	20000000	单号 /bill No.		息与报行

PEKSZ20140613010

是否属于航空运输危险物品

IATA DGR 55th, 2014

锂离子中池组 TDP-12V12A

Dangerous Goods or not restricted

栏内容为托运人或委托人在使用本报告书 写的运输信息,不属于鉴定内容。运输信 告书的关联性以及实际运输货物与报告书 性由托运人或委托人保证,如发生任何不 由托运人或委托人承担全部责任。(请认真 填写本栏内容,并盖章) 负责人: 联系方式:

2014.06.16

鉴别日期

Identification Date

该样品为黑色长方体电池。

型号: TDP-12V12A

尺寸: 155.0×105.0×105 mm

每包装件中电池/电芯净重:29.7kg

物品信息 Nature of the goods

目的港

Destination

(注: 该锂电池不属于召回的锂电池且按照DGR3.9.6.(e)规定的质量体系进行制造。同时,该电 池已经做好防短路措施并装入坚固的包装内,电池已固定且不能位移。该电池的UN38.3检验报 告由飓风科技集团有限公司提供,报告编号: WSCT1405000109BS。每一包装件电池数量18块。)

This sample is black cuboid battery

Model: TDP-12V12A

Size:  $155.0 \times 105.0 \times 105 \text{ mm}$ 

Net quantity of batteries/cells per package:29.7kg







_		
世	37	
1	\$2	


项目编号 Item No.		PEKSZ201406	513010			
物品名称	中文 Chinese	锂离子电池组 TDP-12V12A				
Name of Goods	英文 English	LITHIUM IO	N BATTERY PACK TDP-12V12A			
	J结论 :lusions	参考有关资 This goods battery is AND CRITER	离子/聚合物电池,单独包装。额定瓦料,根据DGR有关规定,该物质分类i is lithium ion/polymer battery, of a type proved to meet the Red IA, Part III, sub-section 38.3. to IATA DGR this substance is cla	只别为第9类(或项)危险品,UN348 packed individually.Watt-hour re quirements of each test in the	0。 ating is 144Wh UN MANUAL OF T	ESTS
	UN/ID 编号 UN/ID No.		运输专用名 Proper Shipping		类或项 Class or Div. (次要危险性) (Subsidiary Risk)	包装等 Packing Group
				Name	Class or Div. (次要危险性)	Packing
建议运输 条件 Suggestion for	UN/ID No.		Proper Shipping	Name	Class or Div. (次要危险性) (Subsidiary Risk)	Packing Group
建议运输 条件 Suggestion	UN/ID No. UN3480	Inst.	Proper Shipping  LITHIUM ION BAT  客货机  Passenger and Cargo Aircraft  仅限货机  Cargo Aircraft only	Name TERIES	Class or Div. (次要危险性) (Subsidiary Risk)	Packing Group

制单: 李园


第4页共4页











MODEL:TDP-12V 12A 144WH BATTERY

WARNING:DO NOT DISASSEMBLE/MAYEXPLODEIF DISPOSED IN FIRE

DO NOT EXPOSE TO TEMPERATUREABOVE60℃ OR 140°F

USE ONEYRECOMMENDED BATTERY CHARGER



